PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: A01N 43/653, 55/10, 25/04, 25/30 // (A01N 43/653, 43:42) (A01N 55/10, 43:42)

(11) International Publication Number: **A1**

WO 00/35284

(43) International Publication Date:

22 June 2000 (22.06.00)

(21) International Application Number:

PCT/EP99/09987

(22) International Filing Date:

15 December 1999 (15.12.99)

(30) Priority Data:

98811239.7 9900758.5

17 December 1998 (17.12.98) 14 January 1999 (14.01.99)

EP GB

- (71) Applicant (for all designated States except AT US): NOVAR-TIS AG [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH).
- (71) Applicant (for AT only): NOVARTIS-ERFINDUNGEN VER-WALTUNGSGESELLSCHAFT M.B.H. [AT/AT]; Brunner Strasse 59, A-1230 Vienna (AT).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): SCHLATTER, Christian [CH/CH]; Peteracher 11, CH-8126 Zumikon (CH).
- (74) Agent: BECKER, Konrad; Novartis AG, Corporate Intellectual Property, Patent & Trademark Department, CH-4002 Basel (CH).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: PESTICIDAL AQUEOUS SUSPENSION CONCENTRATES

(57) Abstract

The invention relates to pesticidal compositions in form of aqueous suspension concentrates, comprising a triazole fungicide which is substantially insoluble in water and solid at 25 °C, and comprising as surfactants: (1) a tristyrylphenol-ethoxylate or its sulfate or phosphate, in combination with either (2a) a vinylpyrrolidon homopolymer, or (2b) a vinylpyrrolidon/styrene blockpolymer, or (2c) a hydrophilic ethylene oxide-propylene oxide blockpolymer, or with a mixture thereof; and use of the combination of these surfactants for the prevention of crystal growth of the triazole fungicide.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lacatha	CT.	01
AL AM	Armenia		•	-	Lesotho	SI	Slovenia
		FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	\mathbf{SZ}	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
\mathbf{BG}	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	$\mathbf{U}\mathbf{Z}$	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
\mathbf{CG}	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
\mathbf{CZ}	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

Pesticidal Aqueous Suspension Concentrates

The present invention relates to pesticidal compositions in form of aqueous suspension concentrates, comprising a triazole fungicide which is substantially insoluble in water and solid at 25°C, and comprising as surfactants

- (1) a tristyrylphenol-ethoxylate or its sulfate or phosphate, in combination with either
- (2a) a vinylpyrrolidon homopolymer, or
- (2b) a vinylpyrrolidon/styrene blockpolymer, or
- (2c) a hydrophilic ethylene oxide-propylene oxide blockpolymer, or with a mixture thereof.

The invention also relates to the use of these combinations of surfactants for the prevention of crystal growth of the triazole fungicide on storage of the suspension concentrates.

It is common practice to formulate solid, substantially water insoluble pesticides in form of aqueous suspensions. Such suspension concentrates are very sensible systems regarding physical and chemical stability. A particular problem is the crystal growth, e.g. by "Oswald ripening" of the active ingredient during relatively short time of storage. Crystal growth by "Oswald ripening" generally occurs when smaller crystals (which have a larger total area than bigger crystals) dissolve in the aqueous phase and then the material is transported through the continuous phase, to nucleation sites of the bigger crystals.

As a result, the crystals of the active ingredient may aggregate and sediment, the formulation becomes inhomogeneous; during application, filters and nozzles of the spray equipment can block and the biological efficacy may be reduced.

Several compounds have been proposed as crystallization and/or crystal growth inhibitors, e.g. alkylcarboxylic acid dimethylamides (US 5,206,225), ethylene oxide-propylene oxide blockpolymers and polyaryl phenol-ethoxylate (EP-A-261,492) and mixtures with polyvinylpyrrolidone (EP-A-592,880).

However, the known crystal growth inhibitors do not always satisfy the needs of agricultural practice in all incidents and aspects; either they are not suitable for many particular active ingredients and formulation types or they have to be combined with other, less favorable dispersing or suspending agents or adjuvants. It is therefore a need for further crystal growth inhibitors.

The crystal growth inhibitors provided herewith are particularly suitable for triazole fungicides which are substantially insoluble in water and solid at 25°C. They are readily available, easy to handle, relatively not toxic and have no undesired effects on plants. No or only small amounts of other dispersing agents are necessary for stabilizing the suspension. The compositions according to the invention are stable for at least 12 months at 25°C, without any crystal growth of active ingredient. After dilution with water, the spray mixture is applied without any technical problems and exhibiting full biological efficacy.

The surfactants which prevent crystal growth according to the invention are described in detail as follows:

(1) The tristyrylphenol-ethoxylates have the general formula

and are in practice mixtures of several compounds which differ by the degree and position of substitution of the phenyl ring and the number of ethoxylate units; the indicated numbers are thus average values. Typically are 8-40 mol, preferably 10-20 and most preferred 14-18 mol ethoxylate.

Suitable salts of the a tristyrylphenol-ethoxylate sulfate or phosphate are, for example, metal salts, such as alkali metal or alkaline earth metal salts, for example sodium, potassium calcium or magnesium salts, or salts with ammonia or an organic amine, such as morpholine, piperidine, pyrrolidine, a mono-, di- or tri-lower alkylamine, for example ethyl-, diethyl-, triethyl- or dimethyl-propylamine, or a mono-, di- or tri-hydroxy-lower alkylamine, for example mono-, di- or tri-ethanolamine.

Preferred are salts with ammonia, amines, as triethylamine and triethanolamine, calcium, potassium and sodium.

(2a) Vinylpyrrolidon homopolymers have the general formula

and have an average molecular weight of 5000-3'000'000, preferably of 15'000-500'000, more preferably 50'000-100'000 Daltons.

(2b) Vinylpyrrolidon/styrene blockpolymers have the general formula

and have an average molecular weight of 5000-3'000'000, preferably of 15'000-500'000, more preferably 50'000-100'000 Daltons.

(2c) Hydrophilic ethylene oxide-propylene oxide blockpolymer have the general formula (EO)_x-(PO)_y-(EO)_z

wherein EO means ethylene oxide and PO means propylene oxide, and wherein the weight ratio EO:PO is at least 50%, having an average molecular weight of of 1'000-30'000, preferably of 1000-20'000 Daltons.

Molecular weight is to be understood as weight average.

Preferred combinations of surfactants are

- a) a tristyrylphenol-ethoxylate having 10-20 mol ethoxylate or its sulfate or phosphate (1) and a vinylpyrrolidon homopolymer (2a);
- b) a tristyrylphenol-ethoxylate having 10-20 mol ethoxylate or its sulfate or phosphate (1) and a vinylpyrrolidon/styrene blockpolymer (2b);
- c) a tristyrylphenol-ethoxylate having 10-20 mol ethoxylate or its sulfate or phosphate (1) and a hydrophilic ethylene oxide-propylene oxide blockpolymer (2c).

Fungicides which are substantially insoluble in water means their solubility at room temperature is less than 1%, preferably less than 0.1% per weight.

Such fungicides are described in "The Pesticide Manual, 11ht Edition, British Crop Protection Council, 1997".

Examples of triazole fungicides, which are substantially insoluble in water and solid at 25°C, are penconazole, cyproconazole, tebuconazole, hexaconazole, flusilazole, metconazole and epoxyconazole; preferred are cyproconazole and penconazole, particularly penconazole.

The composition may comprise additional pesticides, which are not triazole fungicides, but which preferably also fungicides.

Such fungicides which may be present in the composition according to the invention are azoles, as imazalil, pefurazoate, pyrifenox, prochloraz; pyrimidinyl carbinoles, as ancymidol, fenarimol, nuarimol; 2-amino-pyrimidines, as bupirimate, dimethirimol, ethirimol; morpholines, as dodemorph, fenpropidin, fenpropimorph, spiroxamin, tridemorph; anilinopyrimidines, as cyprodinil, mepanipyrim, pyrimethanil; pyrroles, as fenpiclonil, fludioxonil; phenylamides, as benalaxyl, furalaxyl, metalaxyl, R-metalaxyl, ofurace, oxadixyl; benzimidazoles, as benomyl, carbendazim, debacarb, fuberidazole, thiabendazole; dicarboximides, as chlozolinate, dichlozoline, iprodione, myclozoline, procymidone, vinclozolin; carboxamides, as carboxin, fenfuram, flutolanil, mepronil, oxycarboxin, thifluzamide; guanidines, as guazatine, dodine, iminoctadine; strobilurines, as azoxystrobin, kresoxim-methyl, SSF-126 (metominostrobin or fenominostrobin; SSF-129 (α-methoximino-N-methyl-2-[(2,5-dimethylphenoxy)methyl]benzeneacetamide), trifloxystrobin (2-[α -{[(α methyl-3-trifluormethyl-benzyl)imino]-oxy}-o-tolyl] -glyoxylsäure-methylester-O-methyloxim); dithiocarbamates, as ferbam, mancozeb, maneb, metiram, propineb, thiram, zineb, ziram; N-halomethylthiodicarboximides, as captafol, captan, dichlofluanid, fluoromide, folpet, tolyfluanid; copper compounds, as bordeaux-mixture, copper hydroxide, copper oxychloride, copper sulfate, cuprous oxide, mancopper, oxine-copper; nitrophenol-derivatives, as dinocap, nitrothal-isopropyl; organo-P-derivatives, as edifenphos, iprobenphos, isoprothiolane, phosdiphen, pyrazophos, tolclofos-methyl; other compounds, as acibenzolar-S-methyl, anilazine, blasticidin-S, chinomethionat, chloroneb, chlorothalonil,

cymoxanil, dichlone, diclomezine, dicloran, diethofencarb, dimethomorph, dithianon, etridiazole, famoxadone, fentin, ferimzone, fluazinam, flusulfamide, fenhexamid, fosetylaluminium, hymexazol, kasugamycin, methasulfocarb, pencycuron, phthalide, polyoxins, probenazole, propamocarb, pyroquilon, quinoxyfen, quintozene, sulfur, triazoxide, tricyclazole, triforine, validamycin.

The most preferred of these additional fungicides is quinoxyfen. Preferred mixtures of fungicides are penconazole/quinoxyfen and penconazole/cyproconazole.

Suitable concentrations in relation to the composition are (% weight /weight): 1 to 95%, preferably 2-75%, more preferably 5-30% by weight of a triazole fungicide, 3 to 90%, preferably 20-85% by weight of water, 0.5 to 40%, preferably 1-20%, more preferably 2-7% by weight of combination of surfactants (1), (2a), (2b) and/or (2c).

Suitable ratios of surfactant (1): surfactant (2a), (2b) and/or (2c) are 1:20 to 10:1, 1:10 to 5:1 and 1:5 to 2:1.

The composition according to the invention may comprise additional adjuvants, wetting, dispersing and emulsifying agents, organic solvents, cosolvents and oils, as (in % by weight)

a dispersing agent, 0 to 20%, preferably 0.5 to 5%, e.g. fatty alcohole ethers, fatty acid esters, arylsulfonates as polynaphtalensulfonate, alkylarylsulfonates as dodecylbenzene sulfonate, alkylsulfonates as sodium sulfosuccinate, polyalkyleneglycol ethers, acrylic Graft Co-Polymer, N-methly-N-oleyl-taurin Na salt or polyvinylalkohol;

a thickening agent, 0 to 2%, preferably 0.1 to 1%, e.g. xanthan gum, heteropolysaccharides, oxypropylated cellulose, precipitated or fused silica (hydrophobizised or non-hydrophobizised), gelatine, polysaccharides, tetramethyl decyne diol, ethoxylated dialkyl phenol, methylated clay, propylene carbonate, hydrogenated castor oil, ethoxylated vegetable oil, sodium benzoate or hexanediol;

an antifreeze agent, 0 to 20%, preferably 1 to 10%, e.g. 1,2-propyleneglycol, glycerine, ethyleneglycol or freezing point-lowering salts;

a defoaming agent, 0 to 5%, preferably 0.1 to 2%, e.g. silicone oil, alcohols, fluoroorganics or mineral oils;

a preservative/biocide, 0 to 10%, preferably 0.1 to 3%, e.g. formaldehyde, 1,2 benzisothiazol-3(2H)-one or its salts, or benzoic acid;

a buffer. 0 to 5%, preferably 0.1 to 3%, e.g. acetic acid (AcOH)/NaOH or AcOH/KOH, H₃PO₄/NaOH or H₃PO₄/KOH, citric acid/NaOH or citric acid/KOH, or KH₂PO₄/Borax;

an adjuvant to raise the biological availability and efficacy, 0 to 30%, preferably 10-20%, e.g. alcohol ethoxylates, amine ethoxylates, ethylene oxide-propylene oxide blockpolymers, alcohol sulfates, alkylaryl sulfonates, alkylsulfonates, alkylphenol ethoxylates, ester ethoxylates, castor oil ethoxylates and alkanol amides.

Suitable water-immiscible solvents are aliphatic and aromatic hydrocarbons such as hexane, cyclohexane, benzene, toluene, xylene, mineral oil or kerosin, mixtures of substituted naphthalenes, mixtures of mono- and polyalkylated aromatics, halogenated hydroarbons such as methylene chloride, chloroform and o-dichlorobenzene; phthalates, such as dibutyl phthalate or dioctyl phthalate; ethers and esters, such as ethylene glycol monomethyl or monoethyl ether; fatty acid esters; ketones, such as cyclohexanone; pyrrolidones, such as N-octyl-2-pyrrolidone; plant oils such as castor oil, soybean oil, cottonseed oil and possible methyl esters thereof; as well as epoxidised coconut oil or soybean oil.

Suitable water-miscible solvents are e.g. alcohols and glycols, such as ethanol, ethylene glycol, strongly polar solvents, such as N-methyl-2-pyrrolidone, tetramethylurea, gamma-butyrolacone,dimethyl sulfoxide, N,N-dimethylacetamid and dimethylformamide.

Another object of the invention is a process for preparing a composition as herein described, by grinding or milling the solid pesticide and then intimately mixing, optionally by warming, the components, until a homogeneous phase is achieved. Alternatively, the components may first be mixed and subsequently grinded and milled.

In another aspect of the invention the composition is an aqueous spray mixture. Before the application, the composition of the invention may be diluted with water by simply mixing at ambient temperature in order to get a ready for use spray mixture. The resulting spray mixtures are stable, i.e. they remain as a homogeneously dispersed phase on standing without agitation for at least one hour to 12 hours or even more. Preferred concentrations of the spray mixture are 0.1 to 10 %, more preferred 0.2 to 5% pesticide in relation to the spray mixture.

A further aspect of the invention is a method of preventing or combating undesirable plant growth, infestation of plants or animals by pests and regulating plant growth by diluting the composition according to claim 1 with water and applying a pesticidally effective amount to the cultivation area, to the plant or animal.

Preparation examples

The following Examples illustrate the invention in more detail. The registered trademarks and other designations denote the following products:

The suppliers are known or may easily be found, e.g. in "McCutcheon's Emulsifiers and Detergents", Rock Road, Glen Rock, NJ 07452-1700, USA, 1997.

Soprophor 4D384	Tristyrylphenol-16 EO sulfate	surfactant (1)
	ammonium salt	
Sokalan HP 53	vinylpyrrolidon homopolymer	surfactant (2a)
	MW 50'000-60'000	
Agrimer ST	vinylpyrrolidon/styrene	surfactant (2b)
	blockpolymer	
Pluronic P 105	EO-PO-EO block-copolymer	surfactant (2c)
Pluronic P 108		
Pluronic P 65		
Morwet D-425	Na-Polynaphtalenesulfonat	dispersing agent
Atlox 4894	Polyalkyleneglycol ether/alcohol	
	EO	
Atlox 4913	Acrylic Graft Co-Polymer	
Kelzan	Polysaccharid	thickener
Rhodopol 23	Polysaccharid	
Avicel CL 611	Mikrocryst. cellulose.	
Foammaster UDB	Polydimethylsiloxan	defoaming agent
Silicone A		
Proxel GXL	1,2-benzisothiazol Na salt	preservative/biocide

EO = ethylene oxide; PO = propylene oxide; MW = molecular weight

The components are intimately mixed, optionally by warming, until a homogeneous phase is achieved.

The average size of the suspended particles is 2-3 microns when measured with a laser particle analyzer, e.g a CILAS 920 apparatus.

The compositions according to the examples are stable for at least 1 month at 40°C or 12 months at 25°C without crystal growth of active ingredient.

After diluting with water the compositions form ready to use spray mixtures which are applied without any technical problems and exhibiting full biological efficacy.

The numbers given in the Examples are concentrations in % weight/weight.

Example 1

component	% w/w							
	1a	1b	1c	1d	1e	1f	1g	
Penconazole techn. (fungicide)	10	10	10	10	20	20	20	
Cyproconazole techn. (fungicide)					10	10	10	
Soprophor 4D384 (surfactant (1))	1.5	1	1.5	2	1.5	2	1.5	
Sokalan HP 53 (surfactant (2a))	3				3			
Agrimer ST (surfactant (2b))		3					3	
Pluronic P 105 (surfactant (2c))	3	5	3	***		1		
Pluronic P 108 (surfactant (2c))				2		1		
1,2 Propyleneglycol	3	3	3	3	3	3	3	
Proxel GXL	0.03	0.03	0.03	0.03	0.03	0.03	0.03	
Silicone A	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
Kelzan	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Water	ad 100							

Example 2

component	% w/w								
	2a	2b	2c	2d	2e	2f	2g	2h	
Penconazole techn.	10	10	10	10	10	10	10	10	
Quinoxyfen tech.	21	21	21	21	21	21	21	21	
Soprophor 4D384	1.50	1.50	2	1.50	1.50	1.50	1	3	
(surfactant (1))									
Sokalan HP 53				3.00	5.00	2.50	1	2.5	
(surfactant (2a))									
Agrimer ST	3.00	3.00	4.5			2.50	1.5		
(surfactant (2b))									
Avicel CL 611	0.20	0.20	0.20	0.20	0.20	0.20	0.20	0.20	
Morwet D-425	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	
1,2 Propylenglycol	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	
Atlox 4894	0.50	**							
Atlox 4913	1.50								
Proxel GXL	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
Silicone A	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
Kelzan	0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.15	
Foammaster UDB	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	
Water	ad 100							L	

Example 3

component	% w/w							
	3a	3b	3c	3d	Зе	3f		
Penconazole techn. (fungicide)	10	10	10	10	10	10		
Quinoxyfen techn. (fungicide)	21	21	21	21	21	21		
Soprophor 4D384 (surfactant (1))	1.5	1	1.5	2	1.5	2		
Pluronic P 105 (surfactant (2c))	3.0	5				1		
Pluronic P 108 (surfactant (2c))			3.0	2		1		
Pluronic P 65 (surfactant (2c)					3.0			
Avicel CL 611	0.20	0.20	0.20	0.20	0.20	0.20		
Morwet D-425	0.8	0.8	0.8	0.8	0.8	0.8		
1,2 Propylenglycol	5.0	5.0	5.0	5.0	5.0	5.0		
Proxel GXL	0.08	0.08	0.08	0.08	0.08	0.08		
Silicone A	0.25	0.25	0.25	0.25	0.25	0.25		
Kelzan	0.15	0.15	0.15	0.15	0.15	0.15		
Foammaster UDB	0.05	0.05	0.05	0.05	0.05	0.05		
Water	Vater ad 100							

Comparison Examples

Without either of the surfactant combinations (1) with (2a), (2b) and/or (2c) in the formulation, crystals of the active ingredient grow up to an average of 10 microns and more within a few months at 20-25°C, thus rendering the application of the spray mixture by a spray device difficult.

Claims

- 1. A pesticidal composition in form of an aqueous suspension concentrate, comprising a triazole fungicide which is substantially insoluble in water and solid at 25°C, and comprising as surfactants
 - (1) a tristyrylphenol-ethoxylate or its sulfate or phosphate, in combination with either
 - (2a) a vinylpyrrolidon homopolymer, or
 - (2b) a vinylpyrrolidon/styrene blockpolymer, or
 - (2c) a hydrophilic ethylene oxide-propylene oxide blockpolymer, or with a mixture thereof.
- 2. A composition according to claim 1, comprising
- 1 to 95% by weight of a triazole fungicide,
- 3 to 90% by weight of water,
- 0.5 to 40% by weight of a combination of surfactants (1), (2a), (2b) and/or (2c).
- 3. A composition according to claim 1, wherein the ratio of surfactant (1): surfactant (2a), (2b) and/or (2c) is 1:20 to 10:1.
- 4. A composition according to claim 1, wherein the triazole fungicide is selected from penconazole, cyproconazole, tebuconazole, hexaconazole, flusilazole, metconazole and epoxyconazole.
- 5. A composition according to claim 1, comprising an additional fungicide.
- 6. A composition according to claim 5, wherein the additional fungicide is quinoxyfen.
- 7. An aqueous spray mixture prepared by diluting the composition according to claim 1 with water.

8. Use of

- (1) a tristyrylphenol-ethoxylate or its sulfate or phosphate, in combination with either
- (2a) a vinylpyrrolidon homopolymer, or
- (2b) a vinylpyrrolidon/styrene blockpolymer, or

- (2c) a hydrophilic ethylene oxide-propylene oxide blockpolymer, or with a mixture thereof in a pesticidal composition in form of an aqueous suspension concentrate, comprising a triazole fungicide which is substantially insoluble in water and solid at 25°C, or in an aqueous spray mixture prepared by diluting such composition, for the prevention of crystal growth of the fungicide.
- 9. A method of preventing crystal growth of a triazol fungicide which is substantially insoluble in water and solid at 25°C, in an aqueous suspension concentrate or in an aqueous spray mixture prepared by diluting such concentrate, wherein
 - (1) a tristyrylphenol-ethoxylate or its sulfate or phosphate, in combination with either
 - (2a) a vinylpyrrolidon homopolymer, or
 - (2b) a vinylpyrrolidon/styrene blockpolymer, or
- (2c) a hydrophilic ethylene oxide-propylene oxide blockpolymer, or with a mixture thereof are added to the aqueous suspension concentrate or to the aqueous spray mixture.
- 10. A method of preventing or combatting infestation of plants or animals by pests by diluting the composition according to claim 1 with water and applying a pesticidally effective amount to the cultivation area, to the plant or part of plants, or animal.

Int. .ional Application No PCT/EP 99/09987

			, 0330,						
A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A01N43/653 A01N55/10 A01N25/04 A01N25/30 //(A01N43/653,43:42),(A01N55/10,43:42)									
According to International Patent Classification (IPC) or to both national classification and IPC									
	SEARCHED								
IPC 7	cumentation searched (classification system followed by classification AOIN	n symbols)							
Documentat	tion searched other than minimum documentation to the extent that so	uch documents are included in the fields a	earched						
	ata base consulted during the international search (name of data bas	se and, where practical, search terms used	()						
	ENTS CONSIDERED TO BE RELEVANT								
Category °	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.						
Α	EP 0 391 171 A (BAYER AG) 10 October 1990 (1990-10-10) page 3 -page 4, line 12 page 4, line 47 - line 53 page 5, line 24 - line 40; claims examples 1-4	;	1–10						
Α	EP 0 261 492 A (HOECHST AG) 30 March 1988 (1988-03-30) cited in the application page 2 -page 3, line 4; examples 7,9,16,17,19	·/	1–10						
X Furth	her documents are listed in the continuation of box C.	X Patent family members are listed	in annex.						
"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "T" later document published after the international or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the									
other n	"O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "A document be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "A" document member of the same patent family								
İ	actual completion of the international search	Date of mailing of the international se	arch report						
2	0 April 2000	02/05/2000							
Name and n	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016	Authorized officer Muellners, W							

Int Itional Application No
PCT/EP 99/09987

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT	
category ° Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
WO 95 19708 A (BAYER AG; WIRTH WOLFGANG (DE); WANGERMANN KLAUS (DE); BOTTA ARTHUR 27 July 1995 (1995-07-27) page 1 -page 2, line 19 page 17, line 6 -page 18; claim 1; example 1	
EP 0 592 880 A (HOECHST AG) 20 April 1994 (1994-04-20) cited in the application page 2, line 23 - line 54; claims	1–10
US 5 240 940 A (ARNOLD WENDELL R ET AL) 31 August 1993 (1993-08-31) column 29, line 16 - line 33; claims 1,15,18	1,5,6

Information on patent family members

Int. Jonal Application No
PCT/EP 99/09987

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 0391171	A	10-10-1990	DE	3910922 C	17-05-1990
L. 0331171	^	10 10 1550	AT	90508 T	15-07-1993
			BR	9001572 A	30-04-1991
			CA	2013724 A	05-10-1990
			DK	391171 T	12-07-1993
			ES	2058646 T	01-11-1994
			HU		
				53786 A,B	28-12-1990
			JP	2290859 A	30-11-1990
			MX	171047 B	27-09-1993
			US	5053421 A	01-10-1991
			ZA	9002585 A	30-01-1991
EP 0261492	A	30-03-1988	DE	3631558 A	31-03-1988
			AT	131002 T	15-12-1995
			AU	599701 B	26-07-1990
			AU	7847687 A	24-03-1988
			CA	1302106 A	02-06-1992
			DE	3751627 D	18-01-1996
			DK	485787 A	18-03-1988
			ES	2082741 T	01-04-1996
			HU	44894 A,B	30-05-1988
			ΙL	83914 A	12-05-1991
			JP	2593886 B	26-03-1997
			JP	63083001 A	13-04-1988
			SK	409191 A	06-04-1994
			US	5074905 A	24-12-1991
			ZA	8706954 A	21-03-1988
WO 9519708	A	27-07-1995	DE	4401927 A	27-07-1995
			AU	1 4 55895 A	08-08-1995
EP 0592880	A	20-04-1994	ΑT	151226 T	15-04-1997
			AU	663004 B	21-09-1995
			AU	4892493 A	28-04-1994
			BR	9304212 A	07-06-1994
			CA	2108200 A	14-04-1994
			DΕ	59306099 D	15-05-1997
			DK	592880 T	08-09-1997
			ES	2103410 T	16-09-1997
			GR	3023952 T	30-09-1997
			ĴΡ	7291811 A	07-11-1995
			ÜS	5376621 A	27-12-1994
			ZA	9307540 A	03-05-1994
US 5240940		31-08-1993	US	5145843 A	08-09-1992
			ĂÜ	2872889 A	03-08-1989
			BR	8900356 A	19-09-1989
			CA	1340470 A	30-03-1999
			CN	1034925 A,B	23-08-1989
			DK	36589 A	15-09-1989
			EG	18859 A	29-09-1994
			EP	0326330 A	02-08-1989
			FI	890423 A,B,	
			HU	49790 A,B	28-11-1989
			IL	89029 A	31-01-1993
			JP	1246263 A	02-10-1989
			JP	2559485 B	04-12-1996
			KR	9710174 B	21-06-1997

information on patent family members

Inte Jonal Application No
PCT/EP 99/09987

Patent document cited in search report	Publication date		atent family nember(s)	Publication date
US 5240940 A		MX NZ TR ZA	14665 A 227735 A 27528 A 8900626 A	31-01-1994 23-12-1991 07-06-1995 27-12-1989